













SCHUIFDEUR-TOTAAL


ST 1200

Sliding door system




								
C-1200 rail		30÷160	STANDARD			With single softclose		OPTIONAL +
C-1200 rail		30÷120	OPTIONAL +				50÷120	
C-122020		30÷120	OPTIONAL +				160	NEW
C-120020S		30÷120	OPTIONAL +			C-1200-DL		70 mm
1220BO	 Locking pins for connection rails 1220 and 120020	30÷120	OPTIONAL +			1200-12		OPTIONAL +
C-1200-DL			OPTIONAL +			1200-7 1200-8	30÷120	
C-1200 ophangset		50÷120						
C-1200 ophangset 160kg		160	NEW			1200/OGS		NEW


Plafondmontage met 2 maal afdeklijst




Wandmontage met profiel onzichtbare wandmontage deuren 40-50mm & afdeklijst




Wandmontage met wandbeugel





Wandmontage met beugel en afdeklijst



Wandmontage met wandbeugel & bevestigingsclip voor houten afwerking naar keuze



Wandmontage met profiel onzichtbare wandmontage deuren 28-40mm dik



50 - 120kg

N.2 Fluid dampers - Min. 740 mm



50-120 kg



50 kg
80 kg
120 kg



**70
mm**



N.2 Fluid dampers - Min. 865 mm


160 kg


100 mm

